CLAIMPTO

WNP

08/09/2004

- 43. (currently amended) A deoxyribonucleic acid molecule, consisting of a partially single-stranded, dumbbell-shaped, covalently closed chain of deoxyribonucleoside residues, and containing one or more sequences of the base sequence $N^3N^2CGN^3N^4$, wherein N^5N^2 is an element of the GT, GG, GA, AT or AA group, N3N4 is an element of the CT or TT group, as well as C deexycytosine, G deoxyguanosine, A deoxyadenosine and T deoxythymidine, wherein its sequence being: a) GTTCCTGGAG ACGTTCTTAG GAACGTTGTC CTTGACGTTG
- GAGAGAAC or
- TCATAACGTT GCGTAGATCA, or
- --- c) containing contains a deoxyribonucleic acid sequence of the base sequence AACG TTCTTCGGGG CGTT (SEQ. ID No. 1),
- ——d)—and wherein the deoxyribonucleic acid molecule has a length of 40 to 200 nucleotides.
 - 44. (currently amended) The deoxyribonucleic acid molecules in

accordance with claim 43, wherein the base sequence (SEQ. ID No. 1)

from characteristic c) is contained in the sequence CCTAGGGGTT

ACCACCTTCA TTGGAAAACG TTCTTCGGGG CGTTCTTAGG

TGGTAACC CCTAGGGGTT ACCACCTTCA TTGGAAAACG

TTCTTCGGGG CGTTCTTAGG TGGTAACC (SEQ. ID No. 4).

45. (original) The deoxyribonucleic acid molecules in accordance with claim 43, wherein the sequence of the base sequence $N^1N^2CGN^3N^4$ is in the single-stranded area.

46. (currently amended) A deoxyribonucleic acid molecule, consisting of a partially single-stranded, dumbbell-shaped, covalently closed chain of deoxyribonucleoside residues, and containing one or more sequences of the base sequence N¹N²CGN³N², wherein N¹N² is an element of the GT, GG, GA, AT or AA group, N³N⁴ is an element of the CT or TT group, as well as C deoxycytosine, G deoxyguanosine, A deoxyadenosine and T deoxythymidine, wherein its sequence being

a) GTTCCTGGAG ACGTTCTTAG GAACGTTCTC CTTGACGTTG
GAGAGAAC or

b) ACCTTOCTTO TACTAACCTT GCCTCAAGGA AGGTTGATCT

- c) containing contains a deoxyribonucleic acid sequence of the base sequence AACG TTCTTCGGGG CGTT (SEQ. ID No. 1).
- 47. (currently amended) The deoxyribonucleic acid molecules in accordance with claim 46, wherein the base sequence (SEQ. ID No. 1) from characteristic c) is contained in the sequence CCTAGGGGTT ACCACCTTCA TTGGAAAACG TTCTTCGGGG CGTTCTTAGG TGGTAACC CCTAGGGGTT ACCACCTTCA TTGGAAAACG TTCTTCGGGG CGTTCTTAGG TTCTTCGGGG CGTTCTTAGG TGGTAACC (SEQ. ID No. 4).
- 52. (New) The deoxyribonucleic acid molecules in accordance with claim 50 47, wherein the sequence of the base sequence $N^1N^2CGN^3N^4$ is in the single-stranded area.
- 48. (original) The deoxyribonucleic acid molecules in accordance with claim 46, wherein the deoxyribonucleic acid molecule has a preferred length of between 48 and 116 nucleotides.
- 49. (original) The deoxyribonucleic acid molecules in accordance with claim 46, wherein the sequence of the base sequence $N^{\dagger}N^{2}CGN^{3}N^{4}$ is in the single-stranded area.